













TIMESAVERS ORIGINALS OVERVIEW BRUSHES 10 SERIES



Requests & orders: parts@timesaversint.com

Please mention your machine serial number with your request or order.

We offer various brush types for Timesavers 10 series machines, brushes for allround use and various materials up to and including brushes for optimal results on specific material.

BRUSH TYPE	GRIT #	ITEM NUMBER	APPLICATION
Media holder 	Hard Medium	00809000 00809001	Holder for pads. Hard for the removal of hard burrs. Medium for the removal of other (various) burrs.
Grinding pad 	# 80 # 120	00809100 00809200	Pregrinding, primary burr removal.
Scotch Brite pad® 	# 180 # 280	00809300 00809400	Pregrinding, light deburring and finish grinding.
HERO 	# 80	00809500	Light primary and secondary burrs + strong edge roundings.
Aluminium Oxide 	# 80	00809600	Deburring and edge rounding of various metals.
Zirconium 	# 80	00809700	Deburring and strong edge rounding of stainless steel with bigger radius.
Silicon carbide 	# 80	00809800	Edge rounding and fine surface pattern for aluminium and plastic.
Hammerhead 	Complete unit	00809900	Deslagging residues.
Metal wire brush 	Complete unit	00810600	Removal of oxide layers.
Aluminium Oxide flex strips 	Complete unit Per MG brush strip	00812000 00812100	Deburring and edge rounding of (galvanized) thin plates and parts. (23 strips per disc)

Only Use Timesavers Originals Spare Parts For The Best Results Every Time
www.timesaversint.com Mail: parts@timesaversint.com Tel no.: +31(0)113 238911



TIMESAVERS ORIGINALS OVERVIEW BRUSHES 22 RB/FORMER 32 RB SERIES







Requests & orders: parts@timesaversint.com

Please mention your machine serial number with your request or order.

We offer various brush types for the 22 RB series or the former 32 RB series, brushes for allround use and various materials up to and including brushes for optimal results on specific material.

Tip: when mainly parts with small inserts are processed our recommendation is to use the brushes with small (3 mm) and wider (5 mm) flaps.

BRUSH TYPE	GRIT #	ITEM NUMBER	APPLICATION
Aluminium Oxide 	# 80 - 3&5 mm # 100 - 3&5 mm # 120 - 3&5 mm # 180 - 3&5 mm	59943111AO35080 59943111AO35100 59943111AO35120 59943111AO35180	Medium edge rounding and surface finishing of steel, aluminium and stainless steel.
Silicon Carbide 	# 180 - 3&5 mm	59943111SC35180	Medium edge rounding and surface finishing for aluminium.
Cross flex Aluminium Oxide 	# 80 - 3&5 mm # 180 - 3&5 mm # 240 - 3&5 mm	59943111CF35080 59943111CF35180 59943111CF35240	Non-directional finish and removal of milling marks for all types of metal.
Zirconium 	# 80 - 5&5 mm # 120 - 5&5 mm	59943111ZI55080 59943111ZI55120	Strong edge rounding.
Metal wire brush 	Non adjustable	599434330000000	Brush for optimal oxide skin removal.
Flange assembly 		460623	4 x flanges, 16 x bolts.



TIMESAVERS ORIGINALS OVERVIEW R+ BRUSHES 32 RB SERIES









Requests & orders: parts@timesaversint.com

Please mention your machine serial number with your request or order.

We offer various brush types for the new 32 RB series, brushes for allround use and various materials up to and including brushes for optimal results on specific material.

Tip: when mainly parts with small inserts are processed our recommendation is to use the brushes with small (3 mm) and wider (5 mm) flaps.

BRUSH TYPE	GRIT #	ITEM NUMBER	APPLICATION
Aluminium Oxide 	# 60 - 5&5 mm # 80 - 5&5 mm # 100 - 5&5 mm # 100 - 3&5 mm # 120 - 5&5 mm # 120 - 3&5 mm # 180 - 3&5 mm	59975121AO55060 59975121AO55080 59975121AO55100 59975121AO35100 59975121AO55120 59975121AO35120 59975121AO35180	Medium edge rounding and surface finishing of steel, aluminium and stainless steel.
Silicon Carbide 	# 180 - 5&5 mm # 180 - 3&5 mm	59975121SI55180 59975121SI35180	Medium edge rounding and surface finishing for aluminium.
Cross Flex Aluminium Oxide 	# 80 - 3&5 mm # 180 - 3&5 mm # 240 - 3&5 mm	59975121AOCF080 59975121AOCF180 59975121AOCF240	Non-directional finish and removal of milling marks for all types of metal.
Zirconium 	# 80 - 5&5 mm # 120 - 5&5 mm	59975121ZI55080 59975121ZI55120	Strong edge rounding.
Metal wire brush 	Adjustable	599754340000000	Adjustable brush for optimal oxide skin removal.
Flange assembly 		784494	



TIMESAVERS ORIGINALS OVERVIEW R+ BRUSHES 42 RB SERIES









Requests & orders: parts@timesaversint.com

Please mention your machine serial number with your request or order.

We offer various brush types for the 42 RB series, brushes for allround use and various materials up to and including brushes for optimal results on specific material.

Tip: when mainly parts with small inserts are processed our recommendation is to use the brushes with small (3 mm) and wider (5 mm) flaps.

BRUSH TYPE	GRIT #	ITEM NUMBER	APPLICATION
Aluminium Oxide 	# 60 - 5&5 mm # 80 - 5&5 mm # 100 - 5&5 mm # 100 - 3&5 mm # 120 - 5&5 mm # 120 - 3&5 mm # 180 - 3&5 mm	59975121AO55060 59975121AO55080 59975121AO55100 59975121AO35100 59975121AO55120 59975121AO35120 59975121AO35180	Medium edge rounding and surface finishing of steel, aluminium and stainless steel.
Silicon Carbide 	# 180 - 5&5 mm # 180 - 3&5 mm	59975121SI55180 59975121SI35180	Medium edge rounding and surface finishing of aluminium.
Cross Flex Aluminium Oxide 	# 80 - 3&5 mm # 180 - 3&5 mm # 240 - 3&5 mm	59975121AOCF080 59975121AOCF180 59975121AOCF240	Non-directional finish and removal of milling marks for all types of metal.
Zirconium 	# 80 - 5&5 mm # 120 - 5&5 mm	59975121ZI55080 59975121ZI55120	Strong edge rounding.
Metal wire brush 	Adjustable	599754340000000	Adjustable brush for optimal oxide skin removal.
Hammerhead 	Module (incl 9 pins) Hammerhead pin	461530 02209600	Hammerhead for heavy slag removal The complete Hammerhead unit contains: 30 modules / 270 pins.
Flange assembly 		784494	